# SIS2000+ Training Manual

# **District Setup**

# **Define Schools within the District**

Using the School Editor Using the SE (Speede Express) School Editor

Can only be done at the District level.

# **Purpose**

Each school within the district, as well as the District Office, needs to be defined, using the School Editor, to enable SIS 2000+ to recognize each location.

In addition, outside schools from which students may transfer, or to which a school may need to send data, need to be defined using the SE (Speede Express) School Editor.

# **Objectives**

Add, Edit & Delete Schools Add campus locations by school

### Access the School Editor

- 1. Click on System.
- 2. Click on School Editor.

### The School Editor

### Tasks

# Note:

To add schools, users must be logged into the District Office.

### Open the School Editor

# Find a school

List


#### VCR buttons

# Edit a school

Edit any information (telephone number, address, etc.)

Click the **Save** button to save the change(s).

Note the difference between gray and white backgrounds.



### Add a school

#### Note:

Districts need to create a record for every school within the district as well as a record for the district office itself.

Create a record for the new school.

School Name, School Year, School Code and Speede Express Code are required fields. Low Grade and High Grade fields are also necessary, as they effect the other applications.

The **D.O. Site** box must be checked off when adding a District Office record to the School Ediotr.

The **School Year** is that of the next graduation year.

Indicate whether your school district reports attendance with the **Take Monthly Attendance** checkbox. If this box is checked the field titled "Months Per Year" will appear in the Track Editor. This permits the user to enter the number of months that attendance is reported to the state.

Save the entry.

# **Campus Locations**

Campus Locations are used for recording the location of discipline or behavior incidents.



Adding a Campus Location

Examples of "On Campus" locations may include "Classroom", "Boy/Girl's Restroom," or "Hallway". An example of a location for which you would not use the "On Campus" flag is the "School Bus".

# Delete a school

Select a school for deletion. Click the **Delete** button.

# **SE School Editor**

# Open the SE School Editor

### Note:

Schools are automatically created in the SE School Editor when they are created through the School Editor.

# Find a school

List


VCR buttons

### Edit a school

Edit any information (telephone number, address, etc.)

Click the **Save** button to save the change(s).

Note the difference between gray and white backgrounds.



SE School Editor

### Add a school

Create a record for the new school.

School Name and Speede Express Code are required fields.

Save the entry.


#### Note:

Your school may wish to add schools that are out of the district or state, such as that of a transfer student, in order to keep track of student history. You may choose to create a separate record for each school or create generic school records such as "Out of District" or "Out of State."

### Delete a school

Select a school for deletion. Click the **Delete** button.

### Questions



Why is there no "Add" button on this screen?

Why would the system block you from deleting a school?

Do you need to add, by hand, schools from within the district through SE School Editor?

What else needs to be added through SE School Editor?